



# CONDOR CHEMICAL





## Our history

In the early 70s it was opened by Dr. (Engr) Angelo Conforti the CPS Chemical which was intended to produce detergents and chemical products for the industry.

Due to the quest for expansion , in the 80s it was turned into Condor Chemical for the entry of a new shareholder and the production was extended to the community online.

In the year 1997, the Condor Chemical obtained the first patent for industrial invention.

In 2000 Condor Chemical was officially opened and now run by Giovanni Conforti , son of the founder who specializes on cleaning products for car washes while preserving the community and industrial line.

In 2008 it was included marine line which join the other recommended lines helping to considerably increase the production of detergents.

In 2010 Condor Chemical expanded significantly on the market for the wide range and high quality production which became a leader in the auto industry with wax-based polish and silicones and the production of innovative cleaning, guarantee maximum biodegradability.

A laboratory equipped with advanced machinery mean that the Condor Chemical is constantly looking for new products to an increasingly professional and demanding market.





# CONDOR CHEMICAL



Auto Detailing	4
Car wash service	9
Carrier	14
Colored Detergents	21
Detergents for plants NO-TOUCH	23
Detergents For Rims	25
Foaming and not to brush systems	28
Foaming for tracks self service	32
New Car	35
Polish For Polishing Chemicals	39
Pre Wash tracks self service	44
Pre-wash Detergents	48
Precera Detergents	63
Products Finishing	68
Waxes	85
Waxes For Self-Service	97



# Antigelo - 88

## Description

Auto maintenance  
Antifreeze protective fluid for radiators blue  
Resiste freezeproof to  $-80^{\circ}\text{C}$ . It contains corrosion inhibitors.

## Dosage

01225 - Taniche da 25 kg  
01210 - Taniche da 10 kg



# Lavavetro-88

## Description

Lavavetro -88 and 'cleaner washer superconcentrate trays with a freezing point to  $-88$ . It cleanses removing car window with ease 'smog and grease. Suitable for wiper trays of large capacity '(trucks, buses, vans etc ...) Avoid the crunch and bounce of the wiper brush.

## Dosage

To get the desired point of freezing refer to the dilution table on the label. Do not use pure but always in aqueous solution.

01210 - Taniche da 10 Kg  
01225 - Taniche da 25 Kg





# Pasta Lavamani

## Description

White hand cleaning paste with microgranules pleasantly scented rich in emollients and moisturisers for the skin. Particularly recommended for the removal of mineral oils. Does not clog drains. It does not contain sawdust.

## Dosage

Ready for use.

1434000 - Cartone da 4 PZ - ML 4000



# Protector

## Description

Protective liquid high yield suitable for the treatment of the underbody of the car. Eliminates squeaking of crossbows effectively preventing the corrosive action of salt and rust. Protector does not drip and is not removed from the water.

## Dosage

For use with nozzle

142600 - Cartone 12 Pz. - MI 600





# Super Sblok

## Description

SUPER SBLOK and 'a concentrated product that works with rapidita'contro rust preventing galling problems with its excellent' descaling. It works in a few moments by unlocking any metal part. SUPER SBLOK It also has a high lubricating power, in time preventing the formation of oxides. Excellent penetrating power.

SUPER SBLOK Possiede inoltre un alto potere lubrificante, prevenendo nel tempo la formazione di ossidi. Ottimo potere penetrante.

## Dosage

Aerosol

139400 - Cartone da 24 pz - ML 4000



# Vaschetta -20

## Description

Vaschetta-20 and 'a detergent for trays washer car with a freezing point of up to -20 ° c. Cleans the car window, removing with ease 'smog and grease thanks to its high concentration. Its use and 'recommended both during the winter and the summer facilitating the posting of gnats and ice from the windshield.

## Dosage

Use diluted with water according to the outside temperature.

06825-20 - Taniche da 25 Lt

06810-20 - Taniche da 10 Lt

06805-20 - taniche da 5 Lt





# Vaschetta -30

## Description

Vaschetta-30 and 'a detergent for trays washer car with a freezing point of up to -30 ° c. Cleans the car window, removing with ease 'smog and grease thanks to its high concentration. Its use and 'recommended both during the winter and the summer facilitating the posting of gnats and ice from the windshield.

## Dosage

Use diluted with water according to the outside temperature.

06825-30 - Taniche da 25 Lt  
06810-30 - Taniche da 10 Lt



# Vaschetta -40

## Description

Vaschetta -40 and 'cleaner trays washer car with a freezing point down to -40 ° c. Cleans the car window, removing with ease 'smog and grease thanks to its high concentration. Its use and 'recommended both during the winter and the summer facilitating the posting of gnats and ice from the windshield.

## Dosage

Use diluted with water according to the outside temperature.

06825-40 - Taniche da 25 Lt  
06810-40 - Taniche da 10 Lt



# Vaschetta -88

## Description

Lavavetro 3028 -88 and 'cleaner washer trays with a freezing point to -88. Ideal for mountain areas or arctic latitudes. Cleans the car window, removing with ease 'smog and grease thanks to its high concentration. Suitable for wiper trays of large capacity '(trucks, buses, vans etc ...)

## Dosage

Use diluted with water according to the outside temperature.

- 06825-80 - Taniche da 25 Lt
- 06810-80 - Taniche da 10 Lt
- 06805-80 - taniche da 5 Lt



# Vaschetta Moscerini -20

## Description

Washer 3028 and 'a detergent for washer trays with a freezing point up to -20 (for the type -20CÂ °) and up to -40 (for the type -40CÂ °). Cleans the car window, removing with ease 'smog and grease thanks to its high concentration. Its use and 'recommended during the winter season. Eliminates the squeak and bounce of the wiper brush. It helps the removal of ice from windows during winter and flies in summer.

## Dosage

Use diluted with water according to the outside temperature.

- 06810-20M - Taniche da 10 Lt
- 06825 -20M - Taniche da 25 Lt





# Alluminium

## Description

Detergent for aluminum flux at pH acid. ALUMINIUM is a concentrated detergent containing nonionic and ionic surfactants with biodegradability higher than 90%, inorganic acids and solvents couplers. Remove it with ease as metal oxides and rust stains from the sides of the trucks in aluminum. Do not use on stainless steel, chrome, zinc-plated and brass parts, anodized aluminum.

## Dosage

Dilute with water from 10 to 30% depending on the case.

00525 - Taniche da 25 kg

00510 - Taniche da 10 kg



# Anticalcare Idro

## Description

Product anti back for pressure washers, eliminates and prevents the formation of limestone.

## Dosage

Use pure. Dropping a few drops of product in the reservoir of water accumulation.

01111 - Taniche da 11 kg

01125 - Taniche da 25 kg



# Antischiuma Concentrato

## Description

Silicone emulsion formulated to break down the foam in detergents. Remove the excess foam from any type of detergent without compromising the effectiveness.

## Dosage

Dilute from 0.1 to 0.2% depending on the case.

01310 C - Taniche da 10 Lt



# Clorovet

## Description

Product powder and tablets to eliminate the proliferation of bacteria in the waters of reciclate lavaggio. Non plants employ organic sewage impianto. Eliminates odor from sulfur reciclate waters during the summer.

## Dosage

About 1 Kg of product per 15000 liters of water. Available in powder and tablets to slow solubilization.

03210 - Taniche da 10 kg





# Disincrost

## Description

ph acid product with corrosion inhibitors to eliminate calcium deposits, oxides and iron sulphides from generators, boilers, condensers, coolers etc ..... Not suitable for soft metals. (eg: brass, copper .... )

## Dosage

Dilute the product to 30% with water.

04910 - Taniche da 10 kg

04925 - taniche da 25 kg



# Legabril

## Description

Legabril is a descaling acid detergent for cleaning stainless steel. And 'particularly suitable for cleaning the facilities of the plant in stainless steel, the stainless steel drinking fountains and strizzapelli. Removes limescale, dirt and possesses polishes towards stainless steel. Not suitable for chrome plating and galvanizing.

## Dosage

Dilute with water from 5 to 30% depending on the processing power to perform.

06925 - Taniche da 25 kg



## Description

Lubrix and a particularly suitable lubricant to keep lubricated the straps of the car wash. Extends the life of belts eliminating the annoying squeaks. Spray the product as on the belt. **FREE OF MINERAL OIL.**

## Dosage

Use pure.

034110 - Taniche da 10 lt  
034125 - Taniche da 25 lt



# Neutral Due

## Description

Neutral detergent with high cleaning power, is used as shampoo brushes for the removal of residual wax. Take a few liters to clean the back of the washing bristles. Suitable for flush-ok car-lite and traditional polyethylene.

## Dosage

Aspire to the pure state the product as a normal shampoo brushes.

07925 2 - Taniche da 25 kg





# pH Meno

## Description

Liquid acid to reduce the pH in biological purifiers. Lowers the alkalinity of the detergent at optimal level by ensuring the survival of the bacteria of the treatment plants biologici. Un anti-foaming agent regulates the formation of foam in the early stages of start-up.

## Dosage

Adjust the pH of the metering pump around 7.5

08510 - Taniche da 10 kg

08525 - Taniche da 25 kg



# Toglimuffa

## Description

Eliminates mold from the car wash brushes, from the walls and all cloro-resistenti surfaces.

## Dosage

Use pure. Or dilute the max to 50% with water.

11810 - Taniche da 10 kg

11825 - Taniche da 25 kg



## Description

To average two-component detergent alkalinity particularly suitable for the removal of oils and dirt from the lower part of the truck. Great for removing smog from cars in winter. Suitable for oily dirty.

## Dosage

Dilute the product from 2 to 5% depending on the temperature and the dirt to be removed.

01725 - Taniche da 25 kg  
01712 - Taniche da 10 kg



# Car-Clor

## Description

Chlorine-active foaming alkaline detergent. It is used to sanitize the refrigerator cells and the means used to transport animals.

## Dosage

Dilute the product with water from 5% to 10% .Use preferably in foam sprayer.

02325 - Taniche da 25 kg





# Concentrato Plus

## Description

Two-component super concentrated detergent formulated specifically for the total removal of any kind of dirt truck, trucks, vans, tarpaulins, where dirt and 'anchored tenaciously. Safe in its use, does not drip or stain. The particular formulation containing polish, ensures easy rinsing and a total shine and protection of the treated part. Compared to concentrate showed a better power of suspending particulate dirt.

## Dosage

Efficace all' 1%

03425 PLUS - Taniche da 25 kg



# Decementante

## Description

Descaling liquid PH strongly inhibited acid for removal THE CEMENT DEPOSITS by some metals. And 'it inhibited against surfaces in iron, brass, Monel, almost all types of stainless steel and mild steel. And 'incompatible with aluminum, tin, zinc and some types of stainless steels.

## Dosage

Use the product diluted with water from 50 to 70% according to necessity.

03825 - Taniche da 25 Kg



# Deter 3000

## Description

Strong single-phase alkaline liquid detergent with high concentration. It is used for the washing of truck and car. And 'particularly suitable in the winter months to eliminate the traffic-film composed of smog and particulate produced from salt and earth. It presents an abundant foam which disintegrates in few minutes. (Especially useful in biological treatment plants).

## Dosage

Dilute the product from 1% to 3% in summer and winter.

046303000 - Taniche da 30 kg



# Doppia Fase

## Description

Double Stage and 'a bi-component alkaline detergent for washing the outside of trucks, lorries, vans and all those vehicles where dirt and' particularly anchored whether of organic or inorganic origin. Great its use in hard water. Also suitable for tarpaulins. Good value 'price.

## Dosage

Dilute the product with water to '1% to 4% in summer and in winter. Shake the canister before use.

05025 - Taniche da 25 Kg





# Doppio

## Description

Two-component polishing detergent and energetic. It possesses a good suspending power and detergent, is used for washing trucks and has a medium-high alcalinitÄ.

## Dosage

Shake the canister before use. Dilute the product to '1% to 4% in summer and in winter.

05125 - Taniche da 25 kg



# Energy R

## Description

Detergent for cleaning the body and wheels of vehicles. Energy R represents the best compromise between cleaning power and respect of the paint.

## Dosage

Dilute the product 2nd of 4%

05230 R - Taniche da 30 kg

05212 R - Taniche da 12 kg



# Fase Tre

## Description

Two-component detergent with an average alkalinity and great power suspending dirt.

## Dosage

Dilute the product with water to '1% to 4% in summer and in winter. Shake the canister before use.

05325 - Taniche da 25 kg



# Levacatrame S

## Description

Product specifically designed to remove from all surfaces of tar stains and adhesives without damaging the treated parts and matting. Also suitable for dry tar removal of asphaltatori means.

## Dosage

Use the product as is.

07125 - Taniche da 25 Lt

07110 - Taniche da 10 Lt





# Solvente lattice

## Description

Specific product to remove most of the milk from the tanks.

## Dosage

The product is used in its pure state nebulizzandolo inside the tank. Rinse off after a few minutes with water.

S90910 - Taniche da 25 kg



# Star/N

## Description

Foaming cleanser concentrate of strong but gentle pre-wash the surfaces, eliminates the most stubborn dirt. It does not drip during spraying but perfectly off the dirt to the passage of the rollers or high pressure so as to make it suitable even for slopes sel service. Note the aluminum parts. medium strong alkalinity.

## Dosage

Dilute the product from 0.5 in summer to '1% in winter.

10630 - Taniche da 30 kg

10612 - Taniche da 12 kg



## Description

SUPER SBLOK and 'a concentrated product that works with rapidita'contro rust preventing galling problems with its excellent' descaling. It works in a few moments by unlocking any metal part. SUPER SBLOK It also has a high lubricating power, in time preventing the formation of oxides. Excellent penetrating power.

## Dosage

Aerosol

139400 - Cartone da 24 pz - ML 4000





# Color Car Blu

## Description

Colorcar produces a colored foam with high visual impact. To be used into the snow arc or in the tri-foam system. Only suitable for automatic systems roller.

## Dosage

Far Draw pure about 20/40 grams of product per car

03325 - Tanche da 25 kg



# Color Car Giallo

## Description

Colorcar produces a colored foam with high visual impact. To be used into the snow arc or in the tri-foam system. Only suitable for automatic systems roller.

## Dosage

Far Draw pure about 20/40 grams of product per car.

03325 G - Tanche da 25 kg



## Description

Colorcar produces a colored foam with high visual impact. To be used into the snow arc or in the tri-foam system. Only suitable for automatic systems roller.

## Dosage

Far Draw pure about 20/40 grams of product per car.

03325 R - Tanche da 25 kg





# Acid One

## Description

Foaming acid detergent for facilities No - Touch. It is used as a first detergent and should be combined with ALKALIS TWO. It has excellent wetting and foaming properties. It is recommended to let it work ACID ONE for a few seconds and without rinsing proceed to the use of TWO ALKALI.

## Dosage

It employs about 60 grams. per car.

00125 - Taniche da 25 kg

00110 - Tanica da 10 kg



# Alkali Due

## Description

Alkaline foaming product to be used after the application of ACID ONE without rinsing in systems NO - TOUCH. This cleanser has a great suspending power and the particulate removal in the vehicle mainly in the glass area. For the determination (venturi nozzle color) follow the instructions of the system manufacturer. In principle, it takes about 100 grams of product per car.

## Dosage

In principle, it takes about 100 grams of product per car.

00330 - Taniche da 30 kg

00312 - Taniche da 12 kg



# Alkali Due Ozono

## Description

Alkaline product to be used after the application of ACID in plants NO ONE - TOUCH. This cleanser has a great suspending power and the particulate removal in the vehicle mainly in the glass area. For the determination (venturi nozzle color) follow the instructions of the system manufacturer.

## Dosage

In principle, it takes about 100g of product per car.

00330 O - Taniche da 30 kg



# PDT

## Description

Detergent with a high security foaming pre-wash of use, unique, completely removes any kind of dirt even at extreme dilutions providing a unique security. Do not scrub profiles, plastic although remanufactured, safe in every season. Does not drip, easy to rinse and it 'ideal for use in enclosed or poorly ventilated areas. non-corrosive alkaline product

## Dosage

To 2% dilution with water.

08312 - Taniche da 12 kg

08330 - Taniche da 30 kg





# Alluminium Tipo L

## Description

Acid detergent specially designed for quick and easy removal of oxides and the brake pads deposits. Restores the original color to the treated surface, protecting it for a long time. Use of non-diamond wheels, chromed or anodized. Suitable for Alcoa.

## Dosage

Dilute 2-5% with water.

00725 - Taniche da 25 kg

00710 - Taniche da 10 kg



# Energy 3020 Special

## Description

Alkaline detergent concentrate for cleaning alloy wheels and plastic. It takes from 7% - 10% in water as a function of air temperature.

## Dosage

Dilute the product by 7% -10% with water.

05230 S - Taniche da 30 kg

05212 S - Taniche da 12 kg



# Energy R

## Description

Detergent for cleaning the body and wheels of vehicles. Energy R represents the best compromise between cleaning power and respect of the paint.

## Dosage

Dilute the product from 1 to 5%

05230 R - Taniche da 30 kg

05212 R - Taniche da 12 kg



# Mac 3 PT

## Description

High concentration of alkaline detergent, specifically designed for the total removal of the brake pads and dirt in general from all kinds of circles, both iron alloy or with plastic wheel covers. Do not use the pure state. Do not use on diamond wheels Do not use of Circles of motorcycles.

## Dosage

Dilute the product from 3 to 8% with water depending on the air temperature.

07530 PT - Taniche da 30 kg



# Pulicerchi

## Description

Alkaline detergent specially formulated for the complete removal of any kind of dirt from iron rims, alloy or with wheel covers in plastica. Pulicerchi leaves the circle perfectly clean and shiny without rubbing. Highly effective is still on the treated surfaces without dripping. The active substances contained in it dissolve the dirt without damaging the treated part. Great its use in slopes Self service.

## Dosage

Dilute the product from 5 to 10% with water depending on the air temperature.

09330 - Taniche da 30 kg

09312 - Taniche da 12 kg



# Pulicerchi FF


## Description

Highly alkaline detergent at low surfactant content for cleaning the wheels and of the motor vehicles. Pulicerchi FF contains only the '1.8% surfactant and we recommend the' use where it is necessary to keep down this parameter. Pulicerchi FF is also used in the cleaning of the lower part of the vehicles. Do not use on camper with aluminum parts and motorcycles.

## Dosage

For the lower use from '1 to 3% depending on the temperature and to 10% for car rims.

09330 FF - Taniche da 30 kg





# Archefoam

## Description

Foaming Cleanser highly visual, with neutral pH and pleasant fragrance. Enhances the color of preserving dall'opacizzazioni paint due to aging, enhancing the brilliance of the paint. Excellent value for money. FROST

## Dosage

Dilute the product in the ratio 1/3 with water.

01425 - Taniche da 25 kg



# Arconeve

## Description

Arconeve is particularly recommended for the arc of the snow-washing facilities foaming slightly acidic pH detergent. We recommend the use of this product with hard and very hard water climates. It can be added to the pre-washing detergents to increase the foaming of the product.

## Dosage

From 10 to 30 pulses depending on the extent of the metering pump.

01525 - Taniche da 25 kg



# Detergente O

## Description

Scented detergent to foam flowers compatible with autoasciuganti waxes of scrubbers. It is recommended for use when there is a single pipe for the arc wax and for cleaning or washing plant present a bad rinsing.

## Dosage

Aspire to the pure state the product with the appropriate dosing pumps about 10/20 gr. With Venturi system dilute the product to 10%

04425 O - Taniche da 25 kg



# Neutral

## Description

Detergent to keep clean the brushes of scrubbers with ionic charge compatible with autoasciuganti waxes and pH neutro. Produce an average foam easy to rinse.

## Dosage

Dilution: Dosing Pumps from 20 to 30 pulses.

07925 - Taniche da 25 kg





# Neutral Due

## Description

Neutral detergent with high cleaning power, is used as shampoo brushes for the removal of residual wax.

## Dosage

Dilution: Dosing Pumps from 20 to 30 pulses.

07925 2 - Taniche da 25 kg



# Sop H2O

## Description

Foaming medium non-ionic charge foam compatible with autoasciuganti waxes containing the polish to moderately acidic pH (5.5-6). It opens the water film facilitating the drying of the vehicles. It keeps the brushes clean the washing facilities. Also suitable for high pressure washers.

## Dosage

Far aspirate pure state about 20 grams of product per car. To adjust pressure washers minimizing the product suction.

10725 - Taniche da 25 kg





# Super foam 111 Verde

## Description

Cleaner highly concentrated scented foaming. Produces an intense foam that inflated with air, it does not drip and perfumes the environment around the site of application. It takes 5-8 grams / liter to obtain abundant foam called 'shaving' that can be used both in systems with arc-snow, both in the brush of "self-service boxes". Upon request and 'also available in scented version to SOFT FRUIT. NOT FREEZE.

## Dosage

Aspire to the pure state from the special metering pump approximately 5/8 grams per car.

11325 - Taniche da 25 Kg



# Archefoam

## Description

Foaming cleanser high visual impact, with a slightly alkaline pH and pleasantly scented. Enhances the color of preserving paint by opacification due to aging. Excellent value for money. FROST

## Dosage

Dilute the product in the ratio 1/3 with water.

01425 - Tanica da 25 kg



# Arconeve Talco

## Description

Arconeve is particularly recommended for the arc of the snow-washing facilities foaming slightly acidic pH detergent. We recommend the use of this product with hard and very hard water climates. It can be added to the pre-wash detergents to increase the schiumosità of the product.

## Dosage

From 10 to 30 pulses depending on the extent of the metering pump.

01525 P - Taniche da 25 kg





# Deterschiuma

## Description

Foaming cleanser to foam lance for use in self-service lanes. It produces a very rich lather of great visual impact and detergent.

## Dosage

With metering pumps using 10/20 gr. liter.

04730 - Taniche da 30 kg



# Neutral

## Description

Detergent to keep clean the brushes of scrubbers with ionic charge compatible with autoasciuganti waxes and pH neutro. Produce an average foam easy to rinse.

## Dosage

Dosing Pumps from 20 to 30 pulses.

07925 - Taniche da 25 kg





# Polish & Cera

## Description

Foaming cleaner lance self-service tracks a neutral pH with anti-static and self-polishing effect. Enhances the color of preserving dall'opacizzazioni paint due to aging, enhancing the brilliance of the paint. Excellent value for money.

## Dosage

Adjust the metering pump to 20-40 pulses.

08825 - Taniche da 25 Lt



# Super Foam 111

## Description

Cleaner highly concentrated scented foaming. It produces an intense foam that inflated with air does not leak and perfumes the air around the site of application. It takes 5-8 grams / liter to obtain abundant foam called 'shaving' that can be used both in systems with arc-snow is in the brush of "self-service boxes". Upon request and 'also available in scented version to SOFT FRUIT. NOT FREEZE.

## Dosage

Aspire to the pure state from the special metering pump about 5.8 grams of product per car.

11325 - Taniche da 25 Kg



# Decerante Copolimero

## Description

Water-soluble liquid for cold stripping of new protected copolymer waxes cars.

## Dosage

Dilute the product to 4% with water.

03525 - Tanica da 25 kg



# Decerante Copolimero Forte

## Description

Detergent for the complete removal of copolymer waxes from new cars. Is top of the line as well as guaranteeing an optimal result, can also be applied on wet cars allowing stripping in all weather conditions.

## Dosage

It is diluted from 2% to 4% depending on the materials of which it is composed of the car, the thickness of the wax, by the time elapsed from the application of the polymer and the air temperature.

03525 F - Tanica da 25 kg

03510 F - Tanica da 10 kg



# Decerante Manuale

## Description

Paraffin wax remover from cold-employed. It sprinkles the vehicle with a manual wax remover solution in the ratio of one part of the product and two parts of diesel oil. It waits a few tens of seconds and then rinse with a pressure washer or other means. Pass the sponge only in the case of accumulation of wax due to poor initial implant spraying waxing.

## Dosage

Product to be used in its pure state, or to be diluted up to 1/3 with diesel fuel.

03925 M - Tanica da 25 lt



# Decerante Vapore

## Description

Specific product for the removal of paraffin waxes from new cars. completely removes the waxy protection without strofinare. Rapida separation of the water produced. Do not form stable emulsions.

## Dosage

Pure suction with hot pressure washer at 80 ° Ca. Adjust the suction valve dell'idropulitrice to 2% - 7%. (About 1 liter per car).

03925 V - Tanica da 25 Lt





# Desoxid

## Description

Detergent to remove the oxide formed on the cars that have been kept under the power lines or have traveled by rail. Desoxid is applied as a shampoo and one application eliminates the yellowish marks from paints, glasses and vehicle tarpaulins.

## Dosage

Dilute the product with 50% water.

04025 - Taniche da 25 Kg

04010 - Tanica da 10 kg



# Desoxid 2

## Description

Acid detergent to remove the oxide railway and high voltage cables. More 'energetic' than DESOXID but more 'dangerous' if used on plastics reciclate of some cars.

## Dosage

Dilute the product with 50% water.

04025 - Taniche da 25 Kg

04010 - Tanica da 10 kg



## Description

Eliminates glue residues from new and used cars that have been protected by plastic films and labels of various types. Spray the product as is and let it act for a few seconds. Finally wipe with a soft, clean cloth.

## Dosage

Use the product in the state Puro.

07225 - Taniche da 25 Lt

07210 - Taniche da 10 Lt



## Description

Foaming cleanser for chemical polishing in portals. It is also used in the tunnels as a cleaner polishing precera. It keeps them soft and flexible brushes and the car-lite fabric. Not dirty brushes.

## Dosage

From 30 to 80 pulses depending on the extent of the metering pump.

01625 - Taniche da 25 kg

01610 - Taniche da 10 kg



## Description

Lucidor is a foam cleanser average high molecular protection. With the car lite brushes and special polishing cycle are obtained brilliant machines and covered with an invisible molecular film which protects for many months the car paint. The result is mentiene over time and is not affected in the upcoming washes although effetuato professional with alkaline detergents. Product Highly Professional.

## Dosage

Use with dosing pumps about 30 gr./lt

07425 - Taniche da 25 Lt





# Lucidor Schiuma

## Description

Lucidor foam is a foam cleanser average high molecular protection. With the car lite brushes and special polishing cycle are obtained brilliant machines and covered with an invisible molecular film which protects for many months the car paint. The result is mentiene over time and is not affected in the upcoming washes although effetuato professional with alkaline detergents.

## Dosage

Adjust the metering pump to 30-50 pulses

07425 S - Taniche da 25 Lt



# Polish & Cera

## Description

To polish Polishes Chemical Protective Foaming polish and polish brush the tracks self-service. Polish & Wax enhances the luster of vernice. Forma large drops during the rinsing phase. It protects the paint against the elements. It replaces the phase of wax in plants that have none.

## Dosage

Adjust the metering pump to 20-40 pulses.

41C3 - Taniche da 10 Lt

41C5 - Fusti da 220 Lt

41C4 - Taniche



# Polish Foam

## Description

Foaming cleanser for chemical polishing in portals and as a cleaning agent polishing precera. Not dirty brushes. Excellent value for money.

## Dosage

Aspire to pure about 40/80 gr. of product per car.

08925 - Taniche da 25 Kg

08910 - Taniche da 10 kg



# Polish Foam Plus

## Description

Product to rinse foaming action for chemical polishing plants provided with appropriate dosing pump. Eliminates micro-scratches on the car permanently with filling action. It protects the paint against weather, micro-scratches, acid rain etc ..... Perfumed cherry. High gloss paint. It represents the range as Top luster.

## Dosage

Aspire to pure state about 40 grams per car.

08910 - Taniche da 10 Lt

08925 P - Taniche da 25 Lt



# Polish Micro

## Description

Highly polishing product to perform chemical polishing with plants portale. Massima shine. Its micro-emulsion penetrates the porosity 'of the paint ensuring an unequaled polishing.

## Dosage

Aspire to pure state about 20/25 grams per car.

08910 M - Taniche da 10 kg  
08925 M - Taniche da 25 kg



# Protettivo PTFE

## Description

Protective foam based ptfе for the protection of the paint of cars. Leave an anti-static protective film that repels smog and dirt, allowing the paint to stay clean and protected for a more 'long-term than traditional products.

## Dosage

Aspire to pure state about 25 grams per car.

040425 - Taniche da 25 kg  
040410 - Taniche da 10 kg





## Description

Highly scented foaming product containing special polymers in micro emulsion specifically for plants equipped with chemical polishing gaming system with car-lite brushes. The formula guarantees a perfectly opaque foam which does not drip, an excellent shine and a unique long-term protection. Do not let the product dry on the car. It represents the range top as protection.

## Dosage

Use pure state and to aspire from the special metering pump 40/70 gr for car.

11410 - Taniche da 10 Lt  
11425 - Taniche da 25 kg



# Alkali Due Ozono

## Description

Pre-wash for Walks Self-Service  
High performance cleaner self-service lanes. The product has a high cleaning degree so as to make it usable even with cold water. This' saves a lot of money. Particularly suitable for the removal of insects and smog.

## Dosage

It is using both high and low pressure.

00330 O - Taniche da 30 kg



# Carjet

## Description

Pre-wash for Walks Self-Service  
Detergent for use in self-service lanes. It removes most 'stubborn dirt effortlessly, also suitable for hard water. It does not clog the pipes and does no harm to plastic and aluminum profiles. Ideal for any purification method. Scented.

## Dosage

Dilute to 50% with acqua.Regolare the metering pump from 20 to 60 pulses. Dotratron to 2%

02425 - Taniche da 25 kg



# Deter 65H

## Description

Pre-wash for Walks Self-Service pre-washing detergent with high cleaning power, remove smog and dirt from any surface. Ideal for slopes Self-Service. Do not use particularly waters rich in salts.

## Dosage

Dilute to 50% with acqua. Regolare the metering pump from 20 to 60 pulses. Dotratron to 2%

- H3445 - Taniche da 25 Kg
- H3434 - Fusto da 220 Kg
- H3232 - Cubo



# Deterschiuma

## Description

Pre-wash for Walks Self-Service foaming cleanser to foam lance for use in self-service lanes. It produces a very rich lather of great visual impact and detergent.

## Dosage

In summer you are using pre-diluted from 0.5%, while in winter from 1% to 3%.

- 04730 - Taniche da 30 kg
- 04712 - Taniche da 12 kg





# Idrodet

## Description

Specific pre-wash detergent for slopes Self-Service, washes in depth 'only with the help of the spear respecting chrome and plastic. No release of salt deposits in the pipes and outside the joints. Available scented version.

## Dosage

Dilute to 50% with acqua.Regolare the metering pump from 20 to 60 pulses. Dotratron 1% to 2% in summer and in winter.

05725 O - Taniche da 25 Kg  
057220 O - Fusto da 220 Kg



# Turbojet

## Description

Scented alkaline detergent for prewash tracks self service. Particularly suitable for the removal of microparticellato. Suitable for very hard water. It prevents encrustations and cleans the pipes from residues of other detergents or lime.

## Dosage

Dilute to 50% with acqua.Regolare the metering pump from 20 to 60 pulses. Dotratron from 1% to 2% in summer and winter.

12225 - Taniche da 25 Kg  
12210 - Tanica da 10 kg



# Turbojet Profumato

## Description

Scented alkaline detergent for prewash tracks self service. Particularly suitable for the removal of microparticellato. Suitable for very hard water. It prevents encrustations and cleans the pipes from residues of other detergents or lime. It contains essential oil of eucalyptus.

## Dosage

Dilute to 50% with acqua. Regolare the metering pump from 20 to 60 pulses. Dotratron from 1% to 2% in summer and winter.

12225 P - Taniche da 25 kg

12210 - Tanica da 10 kg



## Description

Low viscosity liquid pre-wash detergent 'to wash car bodies, trucks, tarpaulins. It has good foaming and good wetting properties that give it a great rapidity 'action. Pre-wash with alkaline pH to antistatic effect.

## Dosage

Dilute the product with water from 0.5% to 3% in summer and winter.

00225 - Taniche da 25 kg

00210 - Tanica da 10 kg



# Antischiuma Concentrato

## Description

Silicone emulsion formulated to break down the foam in detergents. Remove the excess foam from any type of detergent without compromising the effectiveness.

## Dosage

Dilute from 0.1 to 0.2% depending on the case.

01310 C - Taniche da 10 lt





# Base Auto

## Description

Foaming product for manual washing of all Produce superfici. Formula a dense foam that covers the vehicle by slowing the evaporation dell'acqua. Di easy rinsing. Gentle on all surfaces. Special for hard water. Makes' plunging limestone on the bottom of the bucket.

## Dosage

Very focused product. about 15 g in 20 liters of water.

01825 - Taniche da 25 kg

01810 - Tanica da 10 kg



# Cabrio

## Description

Detergent for pre-washing cars, produces a rich lather, easy rinsing high alkalinity 'surfaces in dosages indicated also in the summer months.

## Dosage

Dilute the product from 0.5% to 3% depending on the season and climate.

02130 - Taniche da 25 kg

02160 - Fustino da 60 kg

02112 - Taniche da 12 kg



# Carwash

## Description

Cleanser with natural substances high biodegradability. It has a good polishing power of paint and suspending the dirt. It does not hinder the action of the hydrophobic wax. It does not contain phosphates or NTA.

## Dosage

Nebulizer dilute with 1 to 3% with water according to the outside temperature, if you use with dosing pumps 10/20 gr.litro.

02625 - Taniche da 25 kg



# Concentrato

## Description

Of Pre-wash detergent two-component super concentrated detergent formulated specifically for the total removal of any kind of dirt from trucks, lorries, vans, tarpaulins. Active where dirt and 'anchored tenaciously (Trafic-Film). Safe in its use, does not drip or stain. The particular formulation containing polish, ensures easy rinsing and a total shine and protection of the treated part.

## Dosage

Dilute with water in the atomizer from '1% in summer to 3% in winter. Shake before using.

03425 - Taniche da 25 kg





# Concentrato Plus

## Description

Two-component super concentrated detergent formulated specifically for the total removal of any kind of dirt truck, trucks, vans, tarpaulins, where dirt and 'anchored tenaciously. Safe in its use, does not drip or stain. The particular formulation containing polish, ensures easy rinsing and a total shine and protection of the treated part. Compared to concentrate showed a better power of suspending particulate dirt.

## Dosage

Efficace all' 1%

03425 PLUS - Taniche da 25 kg



# Deter 3000

## Description

Strong single-phase alkaline liquid detergent with high concentration. It is used for the washing of truck and car. And 'particularly suitable in the winter months to eliminate the traffic-film composed of smog and particulate produced from salt and earth. It presents an abundant foam which disintegrates in few minutes. (Especially useful in biological treatment plants).

## Dosage

Dilute the product from 1% to 3% in summer and winter.

046303000 - Taniche da 30 kg





# Deter 65

## Description

Prewash foaming cleanser with high cleaning power, remove smog and dirt from any surface, particularly suitable for nebulizers. Excellent value for money. Do not use particularly waters rich in salts.

## Dosage

Dilution 1% to 3% in summer and in winter.

04225 65 - Taniche da 25 kg



# Deter 65 H

## Description

Prewash foaming cleanser with high cleaning and penetrating power, eliminate smog and dirt from any surface. Ideal for slopes Self-Service. Effect Polish Do not use particularly waters rich in salts.

## Dosage

Dilution 1% to 3% in summer and in winter.

04225 65H - Taniche da 25 kg

0422510 - Tanica da 10 kg



# Deter Blu

## Description

Detergent for universal applications for use on rims, autovaicoli and trucks. Limit contact with aluminum.

It can 'be used on self-service lanes and other facilities given its high solubility' in water. It contains an agent polish.

## Dosage

Nebulizer dilute with 1 to 3% with water according to the outside temperature, if you use with dosing pumps 10/20 gr.litro.

DE4567 - Taniche da 25 kg



# Deter Verde

## Description

Viscous cleaner car prewash indicated for nebulizzatori. Ottimo relationship quality 'price.

## Dosage

Nebulizer dilute with 1 to 3% with water according to the outside temperature, if you use with dosing pumps 15/25 gr.litro.

000879 - Taniche da 25 kg



# Doppia Fase

## Description

Dual Phase and 'a bi-component liquid detergent for external washing of trucks, lorries, vans and all those vehicles where dirt and' particularly anchored be it organic or inorganic. Great its use in hard water.

Ottimo il suo utilizzo in presenza di acque dure.

## Dosage

Dilute the product with water to '1% to 4% in summer and in winter. Shake the canister before use.

05025 - Taniche da 25 kg  
05010 - Taniche da 10 kg



# Doppio

## Description

Two-component polishing detergent and energetic. It possesses a good suspending power and detergent, is used for washing trucks and has a medium-high alcalinitÄ.

## Dosage

Dall '1% -4% in water as a function of temperature, water hardness, and the state of the paint. Shake before using.

05125 - Taniche da 25 kg  
05112 - Taniche da 12 kg





# Energy R

## Description

Detergent for cleaning the body and wheels of vehicles. Energy R represents the best compromise between cleaning power and respect of the paint.

## Dosage

Dilute the product from 1% to 2% depending on the outside temperature.

05230 R - Taniche da 30 kg

05212 R - Taniche da 12 kg



# Fase Tre

## Description

Two-component detergent with an average alkalinity and great power suspending dirt.

## Dosage

Dall '1% -4% in water as a function of temperature, water hardness, and the state of the paint. Shake before using..

3012 - Taniche da 25 kg

3012A - Taniche da 12 kg



## Description

Low-viscosity liquid detergent and high concentration for quick removal of any kind of stubborn dirt at low temperatures.

## Dosage

In summer dilute the product from 0.5% to 1%. In winter use the dilution up to 3%

05425 - Taniche da 25 kg



# Genius Self Cerchi

## Description

Pre-wash detergent for hard water containing polish. It has an average alkalinity which makes it also suitable for washing the car look even with automated systems.

## Dosage

Dilute the product from 1 to 2% in summer and from 2 to 4% in winter.

05525 - Taniche da 25 kg



## Description

Gnats facilitates the separation of the insects from the car windows and paint work.

## Dosage

Dilute with water from 2 to 4% depending on the temperature.

07710 - Taniche da 10 lt

07725 - Taniche da 25 lt



## Description

Liquid to be added to the products diluted in winter to keep them from freeze. Useful in self-service machines (Profumauto-Pulicerchi).

## Dosage

Add to the solution of water and detergent in the 5% -20% reason function of temperature below zero that you want to obtain. (See Tables freezing).

From 5% -to 20% in the detergent according to necessity.

08125 - Taniche da 25 kg

08110 - Tanica da 10 kg





## Description

Detergent with a high security pre unique use of a kind. Completely removes all kinds of dirt, even at extreme dilutions ensuring total security. Non-staining profiles and plastic although remanufactured. Safe in every season. Non-cola and 'easy to rinse and it' ideal for use in enclosed or poorly ventilated areas. non-corrosive alkaline product.

## Dosage

Dilution with water from '0.5% to 2% in summer and winter.

08312 - Taniche da 12 kg  
08330 - Taniche da 30 kg



# Pulijet


## Description

Cleaner self-service runs high solubility. Product containing polish with medium pH alkalinity, favors the protection of the paint and the opening of the water film at the time of rinsing. It contains non-ionic surfactants and high biodegradability ionic. foam Lux

## Dosage

Dilution with water from '0.5% to 2%

09425 - Taniche da 25 kg



## Description

Polishing detergent to wash the means with microfibre cloths without the aid of water. Senz 'water washes the body without using water, just spray the product on a small area to be treated and then spread with a microfiber cloth to remove dirt, wait 5 seconds and move on to another clean, dry microfiber cloth to polish the treated area. Washes, polishes and protects in one pass. scented

## Dosage

As it is or dilute up to 50% with water.

10110 - Taniche da 10 kg



## Description

Foaming shampoo containing a polishing agent.

## Dosage

It employs manually as a normal shampoo.

10425 - Taniche da 25 kg



## Description

Highly concentrated liquid detergent foam for pre-washing of car bodies, trucks, tarpaulins, aircraft, agricultural vehicles with alkaline pH to static and polishing effect. Does not drip. It has a high foaming, softening, degreasing agent and emulsifier. It uses both into the nebulizer is in automatic systems. Great for the smog removal. High concentration is also used for washing engines.

## Dosage

Dilute the product with water from '1 to 3% depending on the dirt and temperature.

10630 - Taniche da 30 kg  
10612 - Taniche da 12 kg



# Strato 2

## Description

Layer 2 and 'a bi-component multi-purpose liquid detergent for those who require a unique product for more functions. Particularly suitable for heavy dirty as the one present on the trucks.

## Dosage

Dall '0.5% -3% in water as a function of temperature, water hardness and the state of the paint.

11025 2 - Taniche da 25 kg





# Summerwash

## Description

Prewash foaming cleanser for the summer period. Its corrosion inhibitors and the retarders of water evaporation, make it a particularly safe product for car paints. We recommend this product to those who do not particularly aggressive products and who have a good cleaning power.

## Dosage

Automatic plant 10/20 gr-lt.

11125 - taniche da 25 kg



# Superdet

## Description

Component liquid of high property, acts quickly and easily on all surfaces and to any kind of dirt, both of organic and inorganic origin. Thanks to its components, emulsifies and breaks up dirt instantly without dripping and quickly.

## Dosage

For the winter period, dilute 1 part product with 50 parts of water. For the summer period a part of product with 80 parts of water.

11230 - Taniche da 30 kg



## Description

Detegente energetic alkaline for motor vehicles. Its formula without caustic soda make it particularly suitable for the cleaning of dirty tenacious. However, it recommends to the continuous variation of the alloys making up the bike to always make my test product compatibility.

## Dosage

Nebulizer: Dilute the product to 1% with water.

11625 - Taniche da 25 kg





## Description

Precera and 'a detergent at acidic pH to effect ANTI AUTO-POLISH low foam. Facilitates waxes in its functions. It keeps the brushes of the washing facilities clean and soft. The product and 'a great limestone scrubber present in the water and facilitates the smoothness of the wax in the drying phase. It reduces the formation of deposits on the windows and on dell'autolavaggio. Contiene structures of vegetable substances. Ideal for biological sewage treatment plants.

## Dosage

Aspire to the pure state, about 5-10 gr. per car.

09010 - Taniche da 10 kg

09025 - Taniche da 25 kg



# Precera 3F

## Description

Precera acid at AUTO-POLISH foaming. Facilitates waxes in its functions, maintaining clean and soft brushes. Easy risciaquabilita 'with the product and polish' to foaming. Not greasy and keeps the brushes clean in time protecting them from re-depositing of dirt and limestone materials.

## Dosage

To suck from the special metering pump about 10/15 gr per car.

09010 3F - Taniche da 10 kg

09025 3F - Taniche da 25 kg





# Precera Mix

## Description

PRECERA MIX combines the protective water repellent action and polished in automatic car wash installations.

## Dosage

To suck from the special metering pump about 10/20 gr per car.

09025 MIX - Taniche da 25 kg

09010 MIX - Taniche da 10 kg



# Precera Polish

## Description

Pre-Wax to polishing effect to use over brushes, easy to rinse, greatly helps the wax in its drying phase even in the presence of strong alkaline detergents. This opens the film of water on the car.

## Dosage

To suck from the special metering pump about 10/25 gr per car.

09025P - Taniche da 25 kg



# Precera Rosso

## Description

SELF Precera to effect acid medium foaming', facilitates the waxes in its functions while maintaining clean and soft brushes. Opens the film of water on the car.

Aspire pure about 5/10 gr per car.

## Dosage

Aspire pure about 5/10 gr per car.

09025 R - Tanche da 25 kg



# Precera Rosso Plus

## Description

Precera Mid foaming 'high molecular effect. Facilitates waxes in its functions by sealing the microporous coatings.

## Dosage

Aspire to pure state about 3/5 grams of product per car.

09025 - Tanche da 25 kg



# Precera S

## Description

Cleaner-polish for hard water for the brushes or tunnel portals. It gives a greater degree of gloss to the paint and helps to eliminate whitish spots due to evaporation of water remaining after drying (deposit of salts of Ca, Mg, Fe, Si) facilitates the sliding of the wax in case of very waters hard.

Agevola lo scorrimento della cera in caso di acque molto dure.

## Dosage

Far aspirate pure state about 10 grams of product per car.

09025 S - Taniche da 25 Lt

09010 S - Taniche da 10 Lt



# Precera SVS

## Description

Precera polishing particularly suitable for hard water.

## Dosage

Use undiluted with metering pump adjusted to 15 grams by car.

09025 SVS - Taniche da 25 kg

09010 SVS - Tanica da 10 kg





## Description

Micro protective polish emulsion for the brushes of automatic washing systems for vehicles. It increases the performance of the wax. Reduced  $\epsilon^{\text{TM}}$  s friction CARLIGHT bristles on the car

## Dosage

Use undiluted with metering pump adjusted to 15 gr.per car.

09025 M - Tanche da 25 kg

09010 M - Tanche da 10 kg



# American Gum

## Description

American Gum is applied in automatic washing systems with foam dispenser or manually by brush. The product is resistant to water.

## Dosage

Use as is.

00925 - Taniche da 25 Lt

00910 - Taniche da 10 Lt



# Brilliant Glass

## Description

It owns properties 'anti and ensures excellent visibility' with no halos.

## Dosage

Aerosol

1262200 - Cartone 12 Pz. - 200 ml



# Decatramante S

## Description

Product specifically designed to remove from all surfaces of tar stains and adhesives without damaging the treated parts and matting. Also suitable for dry tar removal of asphalt means.

## Dosage

Use the product as is.

3077 - Taniche da 25 Kg



# Duplex

## Description

Specific product for the rapid removal of tar and resin are deposited on the vehicle bodies. Also suitable for adhesives.

## Dosage

Aerosol

138200 - Cartone 12 Pz. - ml 200





# Easy Lux

## Description

DASHBOARDS spray, revives and protects car dashboards, plastics in general and rubber profiles. Non-greasy and non-sticky, good hiding power even worn parts. Polishes and protects the treated surfaces. Formula Vanilla and Strawberry.

## Dosage

Aerosol

128600 - 24 Pz - 600 MI



# Ice Remover

## Description

ICE REMOVER Instantly dissolves ice formations from car windows and the locks for a visibility 'perfect.

## Dosage

Aerosol

133200 - Cartone 24 Pz. - ml 200



## Description

Sanitizer for vehicle interiors. Eliminates unpleasant odors, microorganisms, fungi, and bacteria, leaving a pleasant smell of clean. Ventilate before staying. Available in two fragrances: Fern Cologne and Blue. The colony and 'indicated to cover the smell of cigarette smoke.

## Dosage

Aerosol

129200 - Cartone 24 Pz - ml 200



# Lavamoquette

## Description

Low foaming liquid detergent for the complete cleansing of carpets, fabrics and mats. Indicated for use with machines of injection and extraction. It owns property 'sanitizers that prevent the release of unpleasant odors during drying of the tissues. Ideal for Velvet and Alcantara Available in 4 fragrances. depending on the dirt to be removed.

## Dosage

The product is diluted from 5% to 10%

06325 S - Taniche da 25 kg

06310 S - Tanica da 10 kg



# Lavamoquette Schiuma

## Description

Carpet cleaners foam produces an average foam particularly suitable for hard water or large amounts of dust in the carpet fabric. you can also use with injection-extraction system, taking care to introduce in the recovery bathwater some antischiuma. La its foam brings dirt suspension makes cleaning operations.

## Dosage

The product is diluted by 5 to 20% depending on the dirt to be removed.

06325 S - Taniche da 25 kg

06310 S - Taniche da 10 kg



# Lavapelle

## Description

Detergent for cleaning of all leather parts in the car. Removes dirt from the skin leaving it soft and protected. Do not use on seats with cuts or cracks because the mechanical action could further deteriorate the seats.

## Dosage

From 4% to 10% depending on the dirt to be removed.

06410 - Taniche da 10 Kg

06425 - Taniche da 25 Kg





## Description

Product extremely high yield for the regeneration and the maintenance of plastic parts and of vehicles in gender rubber. Restores radiance and naturalness to the treated area, protecting it from the elements such as sun and rain bringing out the natural brilliance. It's not a paint, not browsing. Also available in gel format (top of the range) in cans of 5 kg. The gel and 'a high yield product. They only need a few drops on a sponge to get a highly polished surface to "MIRROR" and protected. Resists water.

## Dosage

Use pure.

07310 - Taniche da 10 lt

07305 - Taniche da 5 Lt



## Description

Polishing product in high yield gel. Just a few drops on a sponge to obtain the regeneration of rubbers and plastics. From an exceptional glossy effect on the treated surfaces and preserves them from aging. Is used both inside and outside of the standard car (the window rubbers, plastic bumpers, instrument panels, door sill etc ...) Recommended in winter on the inside of the car door seal to allow the opening even with of ice. It is used to regenerate the blacks hats ABS or plastic vacuum cleaners Self-service at gas stations.

## Dosage

It is used as it is by pouring a small amount 'of Lucido Gel on a sponge and then apply it on the surface to be treated. Wait a few seconds and move on with a clean, dry cloth to remove excess product. It does not contain solvents.



07305 G - Taniche da 5 lt

# Nero Extreme

## Description

Black tire sprays, polishes and protects the tires preserving them for a long time by atmospheric agents. Resists water. Extreme gloss (mirror effect).

## Dosage

Aerosol

131400 - Cartone 24 Pz. - ml 400

131200 - Cartone 24 Pz. - ml 200



# Nero Lux

## Description

Finishing Vehicles Internal / External  
Brightening highly concentrated tire, it restores the original appearance while preserving the tire from cracking, weathering and aging.

## Dosage

Trigger ready for use

132500 - Cartone 12 Pz. - 500 ml



# Panno KKK

## Description

Microfiber cloth.

## Dosage

Microfiber cloth.

PKK - Singola



# Plastobrill

## Description


Perfumed liquid product to clean, polish and protect any type of plastic material inside and outside the car in a very short time ensuring the long-time protection.

## Dosage

Trigger ready for use

08611 - Taniche da 11 Lt

08625 - Taniche da 25 Lt





# Plastobrill

## Description

Perfumed liquid product to polish and protect any type of plastic material inside and outside the vettura. Rigenera surfaces treated giving it a gloss as if they were nuove. Protegge aging and cracking.

## Dosage

Used in pure form or dilute the product up to a maximum of 1/2 with water.

130500 - CARTONE DA 12 PZ - 500 ml



# Professional

## Description

Polish sprays dashboards for professional use. Revives and protects car dashboards, plastics in general and rubber profiles. Non-greasy and non-sticky, also it covers in one pass the more 'worn parts and makes for a long time bright. It does not produce the "fog" effect during the nebulizzazione. Basso solvent content. High concentration of polishing substances. Polishes and protects in one pass. Suitable for Radica. Citrus scented

## Dosage

Aerosol

130600 - Cartone 24 Pz - MI 600



## Description

Acting liquid product SANITISER, it contains quaternary salts of ammonio. Profumauto and 'ideal to deodorize and sanitize the inside of the car and all sectors where there may be odors. Ideal for self service machines for dispensing fragrance for auto floor mats. Disponibile in various fragrances, see list on our site.

## Dosage

Use the product as is or diluted to 50% with water

09110 - Taniche da 10 Lt

09125 - Taniche da 25 Lt



# Pulitore Vetri Schiuma

## Description

Cleaner in aerosol for cleaning the car windows. Thanks to its active foam cleans perfectly without leaving streaks. Particularly active to clean cigarette smoke and smog.

## Dosage

Aerosol

126400 - Cartone 24 Pz - 400 ml



# Splendicar

## Description

Polish for dashboards, it protects and shines all plastic parts inside the car.

## Dosage

Aerosol

130200 - Cartone 24 Pz - ml 200



# Splendigomma

## Description


Reviver for tires, restores the original appearance while preserving the tire from cracking and atmospheric agents.

## Dosage

Used in pure form or dilute the product with 1/2 parts water.

10512 - Taniche da 12 Kg

10525 - Taniche da 25 Kg





# Splendigomma Concentrato

## Description

Brightening highly concentrated tire. It gives a highly polished appearance (mirror) to preserving rubber from aging. Great for restoring shine to the carpet and rubber mats.

## Dosage

The high concentration of the product view (over 85% active) it is recommended to dilute the product with hot water. scented Dilute the product with 2/4 parts of water, preferably hot. Shake vigorously.

10512 C - Taniche da 12 Kg

10525 C - Taniche da 25 Kg



# Splendigomma Special

## Description

Brightening highly concentrated tire. It restores the original appearance while preserving the tire from cracking, weathering and aging. Its special formulation makes it particularly appreciated in car showrooms and dealerships. Great for restoring shine to the carpet and rubber mats because the product does not stick. Scented.

## Dosage

Dilute the product with 2/4 parts of water. Shake

10525 S - Taniche da 25 Kg

10512 S - Taniche da 12 Kg



# Stop Odor

## Description

ODOR-STOP freezes the molecules responsible of all 'passenger compartment of the car smells. It neutralizes the smell of cigarette, musty, of animal droppings.

## Dosage

Ready to use

10810 - Tanche da 10 lt



# Super Clean

## Description

Specific product for cleaning car interiors and all the parts where there is' need a deep cleansing. Frothy and fragrant for a perfect clean.

## Dosage

Aerosol

137200 - Cartone 24 Pz - ml 200



## Description

Detergent for cleaning the car with tettiuci Tornador gun. Product containing a special blend of solvents and stain removers substances that make it particularly active in removing nicotine and smog accumulated on tettiuci vehicles. It is also used for cleaning the fabric seats and for the cleaning of the floor mats. Do not use on plastics or other surfaces.

## Dosage

Used in pure form or diluted up to 50% in water according to necessity.

11510 - Taniche da 10 Lt  
11525 - Taniche da 25 Lt



# Tergiver

## Description

Professional anti-static product for thorough cleaning of car windows. It cleans perfectly without leaving streaks. Domestic within is used for the cleaning of glass, crystal and mirrors. It slows the formation of condensation and facilitates ice calving during the winter months. It facilitates the removal of flies in summer.

## Dosage

Use pure or diluted to 50% depending on the case.

11710 - Taniche da 10 Lt  
11725 - Taniche da 25 Lt





# Tergiver

## Description

Antistatic product for the thorough cleaning of car windows. It cleans perfectly without leaving streaks. Domestic within is used for the cleaning of glass, crystal and mirrors. It slows the formation of condensation and facilitates ice calving during the winter months. It facilitates the removal of flies in summer.

## Dosage

Trigger ready for use

126500 - Cartoni 12 pz - 500 ml



# Tergiver Rosa

## Description

Professional product for the thorough cleaning of car windows. It cleans perfectly without leaving streaks. Formula rapid evaporation. Special for the removal of the cigarette smoke. Scented. Particolarmente suitable for window cleaning in the winter months.

## Dosage

Used in pure form or in dilution of 50% water.

11710 R - Taniche da 10 Lt

11725 R - Taniche da 25 Lt



# Tergiver Goccia

## Description

Tergiver Drop is a glass cleaner foam cleaner with fast evaporation and high degreasing power. The absence of fragrance can be appreciated by some operators.

## Dosage

Ready to use. In the summer months it can be diluted to 50% with water.

11710 G - Tanica da 10 lt

11725 G - Tanica da 25 lt



# Tornado Alcalino

## Description

Purpose cleaner for cleaning car interiors with Tornador gun. Tornado cleans quickly every car's interior that fabric surface, plastic parts, briar, carpet. Pleasantly scented. Do not spray directly onto electrical equipment of the vehicle (car radios, navigation systems, mobile phones, etc ...).

## Dosage

Use as is.

12010 A - Taniche da 10 Lt

12025 A - Taniche da 25 Lt



## Description

Low foam purpose cleaner degreaser high power car interiors such as panels, carpets and dashboards. Highly concentrated product.

## Dosage

Dilute the product from 0.5% to 2% with water depending on the dirt to be removed. Respect the recommended dosage.

12310 - Taniche da 10 kg

12325 - Taniche da 25 Kg





# Cera 205

## Description

Instantly opens this film of water on the car, forming small drops that slip away under the washing forced ventilation. Suitable for biological systems and as made with natural raw materials.

## Dosage

Aspire to the pure state from the special metering pump about 10-25 grams of product per car.

04425 - Taniche da 25 Lt

04410 - Taniche da 10 Lt



# Cera Bi Polish S.S Sil. 35

## Description

Self-drying wax for tunnels or portals. Especially suitable for low temperatures (it has a freezing point around  $-16^{\circ}\text{C}$ ). It has good properties of smoothness and forms a very high drop. Suitable for medium and hard water (800-1800 micron / S). Excellent paint protection.

## Dosage

To aspire to the metering pump pure about 10/20 gr. wax for car.

028255 BP35 - Taniche da 25 lt



# Cera Bi-Polish SS

## Description

Highly concentrated wax based on natural polymers ideal for automatic systems with forced ventilation. Particularly active at low temperatures. freezing point  $-16\text{C}^{\circ}$ . Create an anti-oxidizing protective film on the paint. Also imparts a 'good luster. Recommended with water with chlorides. Eg marine areas.

## Dosage

To suck from the special metering pump about 15/18 grams of product per car.

02825 - Taniche da 25 Lt



# Cera Bi-Polish SS SIL N

## Description

Highly concentrated wax based on natural polymers and active principles silicone, ideal for automatic systems with forced ventilation. Particularly active at low temperatures. freezing point  $-16\text{C}^{\circ}$ . Create an anti-oxidizing protective film on the paint. Also imparts a 'good gloss and protection over time. Recommended in the presence of chlorides. (Coastal areas) recommended for sweet and medium hard water 250- 1500 micro-S.

## Dosage

To suck from the special metering pump about 10/20 grams of product per car.

02825 BPS - Taniche da 25 Lt



# Cera H N

## Description

Rapid water-soluble wax specially formulated for automatic systems to forced drying. It guarantees a good drying and an excellent polishing power.

To suck from the special metering pump about 15-25 grams of product per car.

## Dosage

Aspire to pure the pump about 15-25 grams of product per car.

02725 - Taniche da 25 Lt



# Cera HN 65 Sil

## Description

Fast water repellent wax effect polish specially formulated for automatic systems to forced drying. It guarantees a good drying and an excellent polishing power. Ideal when you find a product to high erformance by cost. It contains silicone polymers.

## Dosage

Aspire to pure 15/20 gr. of product per car.

02725HN - Taniche da 25 Lt

Immagine non  
disponibile



# Cera Polish

## Description

Water soluble wax to polish effect with excellent properties' long-lasting protection. It possesses an excellent sliding of the remaining drops. Form a water-repellent protective film and protects the paint over time. Excellent luster.

## Dosage

Use pure state and to aspire from the special metering pump about 20 grams of product per car.

02925 - Taniche da 25 Lt



# Cera Polish 2 Sil N

## Description

It 'a variant of the CERA POLISH SIL ACQUE DURE. It has a highest drop and spherical particularly suitable for installations with poor ventilation. Suitable for water up to 1500 micron / S.

## Dosage

To suck from the special metering pump about 15-25 grams of product per car.

02925 2S - Taniche da 25 Lt



# Cera Polish Sil. N. Acque Dure

## Description

Water soluble wax with excellent properties' polishing and long-lasting protection. Specially designed to make the opening of this film of water on the car istantanea. Possiede excellent speed 'slider of the remaining drops. Form a small drop and mobile. Ottima lucentezza. Idonea for waters up to 1450 micron / S.

## Dosage

To suck from the special metering pump about 15/25 grams of product per car.

02925 2S - Taniche da 25 Lt



# Cera SP

## Description

Wax for automatic systems for washing autocon good flowability of the drop and rapid opening of the water film. High protection and gloss of car paint for sweet and medium hard water.

## Dosage

To suck from the special metering pump about 15/18 grams of product per car.

03025 SP - Taniche da 25 Lt

03010 SP - Taniche da 10 Lt



# Cera SP MICRO

## Description

Wax with good flowability under the drying blade of automatic plants. Good gloss and discreet paint protection from the elements.

## Dosage

Use pure state and to aspire from the special metering pump about 20/25 grams of product for car.

03010 SPM - Taniche da 25 Lt

03011 SPM - Taniche da 10 Lt

Immagine non  
disponibile

# Cristal Wax

## Description

Wax with very high polishing effect consists of special protective wax sostanze that make this unique in its kind. Its high concentration and its formulation, make this wax a product of high quality 'both for its adaptability' to any type of plant, both for its exceptional gloss and smoothness of the residual drops. Ideal for water to 550 micron / S 1500 / S. Top of the range.

## Dosage

Use pure state and to aspire from the special metering pump about 15 grams of product for car.

03625 - Taniche da 25 Lt

03610 - Taniche da 10 Lt





# Cristal Wax 5A

## Description

High quality silicone wax with excellent gloss and high drop. You can slide the micro-drops of water coming out of the drying blade or fallen from the portals brushes during the first drying cycle always guaranteeing a perfect result. It is recommended when ventilation is far from the car. It is used with water with conductivity up to 1600  $\mu$ S/cm / S-1800  $\mu$ S/cm / S. Ideal for systems with drying with oscillating nozzles or osmotic water.

## Dosage

To suck from the special metering pump about 10/15 grams of product for car.

03625 5A - Taniche da 25 Lt

03610 5A - Taniche da 10 Lt



# Cristal Wax Micro

## Description

Wax containing high polymers protection, the product provides an excellent gloss and a high protection for several months. Eliminates almost completely the micro drops.

## Dosage

Use pure state and to aspire from the special metering pump about 13.8 grams of product for car.

03625 M - Taniche da 25 Lt

03610 M - Taniche da 10 Lt



# Cristal Wax Micro Plus

## Description

Wax containing high polymers protection, the product provides an excellent gloss and a high protection for several months. Totally eliminates the micro drops.

## Dosage

Use pure state and to aspire from the special metering pump about 13 grams of product per car.

03625 MP - Taniche da 25 Lt

03610 MP - Taniche da 10 Lt



# Diamant Car Concentrata

## Description

Fast wax for hard waters up to 2000 micron / S. NOT FREEZE.

## Dosage

Use pure state and to aspire from the special metering pump 20/30 grams of product per car.

04825 CN - Taniche da 25 Lt



## Diamant Car Concentrata Sil N.

### Description

Super-concentrated wax high smoothness and rapidity 'in the opening of this film of water on the car in automatic systems with forced ventilation. Polish and contains special silicones that ensure quick drying and a good shine. Excellent for hard water up to 2000 micron / S. NOT FREEZE.

### Dosage

Use pure state and to aspire from the special metering pump about 10/12 grams of product per car.

034825 CNS - Taniche da 25 Lt



## Diamant Car Concentrata Super

### Description

High quality wax with discrete smoothness of the drop. Suitable for extremely harsh waters over 2200 micron / S. NOT FREEZE.

Use pure state and to aspire from the special metering pump 15/20 grams of product for car.

### Dosage

Use pure state and to aspire from the special metering pump 15/20 grams of product per car.

04825 CSP - Taniche da 25 Lt





# New Wax

## Description

Has characteristics similar to the wax POLISH but tends to form a more high that benefits in plants that have a drying drop from the vehicle. Excellent results at low temperatures. Freezing point  $-4\text{ C}^{\circ}$ .

## Dosage

With dosing pumps to suck in its purest approximately 10/20 grams of product for car.

08025 - Taniche da 25 Lt

08010 - Taniche da 10 Lt



# New Wax Micro

## Description

High quality wax with EXCELLENT smoothness of the drop. Particularly suitable where it is required a very spherical drop and drying blade is away from the car. Excellent low freezing temperature. Punto Ca  $-4\text{ }^{\circ}$  Also suitable for freshwater or medium hardness. The combination with PRECERA MICRO High gloss and protection of all types of paint.

## Dosage

With metering pumps, to aspire to the pure state about 8/12 grams of product for car.

08025 M - Taniche da 25 Lt

08010 M - Taniche da 10 Lt



# New Wax Micro Plus

## Description

New Wax and 'a wax with very high performance. Good polishing and protective power. Eliminates micro drops even those of relapse during the second pass of the portals drying. Scope from 350 to 1000 ms. about.

## Dosage

With metering pumps, to aspire to the pure state about 8/12 grams of product for car.

08025 MP - Taniche da 25 Lt

08010 MP - Taniche da 10 Lt



# New Wax Sil N.

## Description

High quality wax with discrete smoothness of the drop. Particularly suitable where it is required a very spherical drop and drying blade is away from the car. Excellent low freezing temperature. Punto Ca -4 ° Also suitable for freshwater or medium hardness.

## Dosage

With metering pumps, to aspire to the pure state about 10/15 grams of product for car.

08025 SN - Taniche da 25 Lt

08010 SN - Taniche da 10 Lt



# New Wax Super

## Description

High performance silicone wax with high drop and has a good smoothness particularly suitable for installations in poor ventilation. Forms a high drop and spherical particularly effective at low temperatures. of  $-4\text{C}^{\circ}$  freezing temperature. High paint protection. Also suitable for freshwater 80-300 micron / S.

## Dosage

Aspire pure 15/20 grams of product for car.

08025 S - Taniche da 25 Lt

08010 S - Taniche da 10 Lt



# Wax Conc.

## Description

Silicone wax with great value for money. Universal application is also used with particularly hard water over 2000 micron / S. Not dirty brushes industrial washing equipment.

## Dosage

20-60 pulses depending on the temperature and the flow rate of the pump.

12525 CC - Taniche da 25 Lt

12510 CC - Taniche da 10 Lt





# Cera HN 65 Sil

## Description

Fast water repellent wax effect polish specially formulated for automatic systems to forced drying. It guarantees a good drying and an excellent polishing power. Ideal when you find a product to high performance by cost. It contains silicone polymers.

## Dosage

Aspire to pure 15/20 gr. of product per car.

02725HN - Taniche da 25 Lt

Immagine non disponibile

# Diamant car

## Description

Specific wax for use in self-service paths NOT scented. It produces a white foam which dissolves instantly ensuring an excellent gloss of the paint. Wax to rapid rupture of this film of water on the car. It does not produce accumulation on the glass.

## Dosage

You can 'use either in the pure state is in the premix ratio 1/2 with water. Adjusting the metering pump to 20-40 pulses.

04825 - Taniche da 25 lt

04810 - Taniche da 10 Lt



# Diamant car Amarena

## Description

Specific wax for use in self-service runs pleasantly scented, diffuses into the surrounding environment a great scent. It produces a white foam which dissolves instantly ensuring an excellent gloss of the paint. Wax to rapid rupture of this film of water on the car. It does not produce accumulation on the glass. Available all 'Amarena- Miele- Red Fruits and fragrance.

## Dosage

You can 'use either in the pure state is in the premix ratio 1/2 with water. Adjusting the metering pump to 20-40 pulses..

04825 A - Taniche da 25 lt

04810 AMAR - Taniche da 10 Lt



# Diamant car Frutti Rossi

## Description

Specific wax for use in self-service runs pleasantly scented, diffuses into the surrounding environment a great scent. It produces a white foam which dissolves instantly ensuring an excellent gloss of the paint. Wax to rapid rupture of this film of water on the car. It does not produce accumulation on the glass.

## Dosage

You can 'use either in the pure state is in the premix ratio 1/2 with water. Adjusting the metering pump to 20-40 pulses.

04825 FR - Taniche da 25 lt

04810 FR - Taniche da 10 Lt







**CONDOR CHEMICAL di Conforti Giovanni**

*Detergenti auto, comunità, industria e nautica*

Via Capuana, 12 - 20090 Trezzano S/N (MI) - ITALIA

Telefono e Fax +39 02.48401826

P.IVA 10819670158

E-mails: [info@condorchemical.it](mailto:info@condorchemical.it)

[ufficiotecnico@condorchemical.it](mailto:ufficiotecnico@condorchemical.it)





## ***Leader dal 1970.***

*Prodotti chimici, cere e detersivi professionali  
di alta qualità per l'autolavaggio, la nautica,  
l'industria e la comunità.*

*Concessionario di zona:*